

# TS Quartz glass Immersion probe



Product Information




## Applications

The immersion probes are available as accessories for spectrometers providing qualitative and quantitative analysis based on absorption spectroscopy.

## Function

Illumination and measuring light is transmitted to and from the spectrometer unit through optical fibers with SMA connectors. This setup makes the entire measuring system particularly flexible and provides universal applications even under difficult conditions. The immersion probes allow absorption or concentration measurements in the range 200 nm ... 2,500 nm. For the measurement, the immersion probes are dipped into reaction vessels (test tubes, flasks, etc.). Immersion probes are available for the following optical pathlengths: 1 mm, 2 mm, 5 mm, 10 mm, 20 mm.



## Specifications

Spectral range	200 ... 2,500 nm
Pathlengths in mm	1, 2, 5, 10, 20
Diameter in mm	15
Optical fibers	Quartz, encapsulated in a protective metal and silicone sheath, core diameter = 0.6 mm, encapsulated collimator lens, SMA connector
Length of optical fibers in m	1, 2, 5
Material	Quartz
Probe sheath	CTFE
Probe dimensions	15 x 15 x 60 mm (W x D x H)
Total length	100 mm

*For further details, please contact:*

<b>Carl Zeiss Jena GmbH</b>	D-07740 Jena/ Germany
Spektralsensorik	Phone: ++49 (03641)64 2838
	Fax: ++49 (03641)64 2485
	E-Mail: <a href="mailto:info.spektralsensorik@zeiss.de">info.spektralsensorik@zeiss.de</a>
	Internet: <a href="http://www.zeiss.de/spectral">http://www.zeiss.de/spectral</a>